



Pro Form Products Ltd.
604 McGeachie Drive
Milton, Ontario, L9T 3Y5
Canada
905-878-4990

PRODUCT: PF 365 SOUND DEADENING SHEETS

SECTION 01: Chemical product and company identification

Manufactured for..... Pro Form Products Ltd.
604 McGeachie Drive
Milton, Ontario L9T3Y5
Tel (905) 878-4990 Fax (905) 878-1189

Product name..... PF 365 SOUND DEADENING SHEETS

Recommended use and restrictions on .. Automotive.
use

Chemical family..... Article. Ethylene-Propylene-Diene-Monomer.

NFPA rating..... Health: 0 Fire: 0 Reactivity: 0.

HMIS..... H:0 F:0 R:0.

24 hour emergency number:..... IN CANADA CALL CANUTEC 1-888-226-8832 (CAN-UTEC); IN THE UNITED STATES
CALL CHEMTREC 1-800-424-9300. .

SECTION 02: Hazards identification

Signal Word..... Not a classified or a controlled product.

Hazard Classification..... Not classified.

Hazard Description..... Not classified.

Prevention..... No special precautions necessary.

Note This product does not meet the OSHA Hazard Communication, Globally Harmonized System or Workplace Hazardous Materials Information System criteria as a controlled or classified product.

SECTION 03: Composition/Information on Ingredients

HAZARDOUS INGREDIENTS	CAS #	WT. %
-----------------------	-------	-------

PRODUCT IS AN ARTICLE AND NOT A CHEMICAL

SECTION 04: First aid measures

Eye contact..... In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes. Flush for 15 minutes using plenty of water. If irritation persists seek medical attention.

Skin contact..... Wash slowly with lukewarm water.

Inhalation..... Not applicable.

Ingestion..... Not applicable.

Most important symptoms and effects, Not applicable.
whether acute or delayed

Additional information..... Not applicable.

SECTION 05: Fire fighting measures

Suitable and unsuitable extinguishing Use extinguishing media for surrounding fire.
media

Hazardous combustion products..... Oxides of carbon (CO, CO₂). Hazardous combustion products.

Special fire fighting procedures..... Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes.

SECTION 06: Accidental release measures

Leak/spill..... Pick up solids and put in a dust bin.

SECTION 07: Handling and storage

Handling procedures..... Avoid chronic inhalation of dust. Keep away from heat, sparks, and open flame. Employees should wash hands and face before eating or drinking.

Storage needs..... Store in a cool and dry place, for product integrity.

PRODUCT: PF 365 SOUND DEADENING SHEETS**SECTION 08: Exposure controls / personal protection**

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
-------------	-----	-------------------	-----	------------------	-----	-------

Respiratory/type..... Not applicable.
 Eye/type..... Safety glasses.
 Gloves/ type..... Cotton or natural fibre gloves.
 Clothing/type..... Not applicable.
 Footwear/type..... Safety boots per local regulations.
 Other/type..... Educate and train employees on the safe use and handling of the product.
 Appropriate engineering controls..... None required under normal use.

SECTION 09: Physical and chemical properties

Physical state..... Sheets. Solid.
 Colour..... No data.
 Odour..... Characteristic odour.
 Odour threshold (ppm)..... Not applicable.
 Vapour pressure (mm Hg)..... Not applicable.
 Vapour density (air=1)..... Not applicable.
 pH..... Not applicable.
 Relative Density (Specific Gravity)..... 0.92 to 0.98.
 Melting / Freezing point (deg C)..... No data.
 Solubility..... Insoluble in water.
 Initial boiling point / boiling range (deg C). Not applicable.
 Evaporation rate..... Not applicable.
 Flash point (deg C), method..... Not applicable.
 Auto ignition temperature (deg C)..... Not available.
 Upper flammable limit (% vol)..... Not applicable.
 Lower flammable limit (% vol)..... No Data.
 Coefficient of water/oil distribution..... No Data.
 VOC..... Non volatile.
 Viscosity..... No Data.

SECTION 10: Stability and reactivity

Chemical stability..... Stable at normal temperatures and pressures.
 Reactivity Hazardous polymerization will not occur.
 Possibility of hazardous reactions..... Will not occur under normal temperature and pressure.
 Conditions to avoid..... Avoid vapours if heated.
 Hazardous decomposition products..... Oxides of carbon (CO,CO2).

SECTION 11: Toxicological information

INGREDIENTS	LC50	LD50
-------------	------	------

Route of exposure..... Not expected to pose any hazards.
 Effects of acute exposure..... Irritating fumes may be produced at process temperatures. Contains small amounts of a compound which is considered to be a possible cancer-causing agent.
 Effects of chronic exposure..... Not applicable.
 Carcinogenicity of material..... This product contains carbon black that is bound in the rubber.
 Reproductive effects..... None.

SECTION 12: Ecological information

Persistence and degradability..... Not available.

SECTION 13: Disposal considerations

Waste disposal..... Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

SECTION 14: Transport information

TDG Classification..... Not regulated.
 DOT Classification (Road)..... Not regulated.
 IATA Classification (Air)..... Not regulated.
 IMDG Classification (Marine)..... Not regulated.

PRODUCT: PF 365 SOUND DEADENING SHEETS**SECTION 14: Transport information**

Marine Pollutant..... No.
 Proof of Classification..... In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct. .

SECTION 15: Regulatory information

CEPA status..... This is an article and not subject to the DSL.
 TSCA inventory status..... All components are either listed or exempt from the TSCA. .
 SARA Title III
 Section 302 - extremely hazardous None.
 substances
 Section 311/312 - hazard categories..... None.
 Section 313..... Zinc compounds.
 EPA hazardous air pollutants (HAPS) None.
 40CFR63
 California Proposition 65..... This product does not contain any chemical(s) known to the State of California to cause cancer or reproductive toxicity. The carbon black in this product is not airborne/unbound. For more information, go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Prepared by: REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com.
 Telephone number:..... (800) 387-7981.
 Disclaimer:..... **DISCLAIMER:** All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.
 Preparation date: JUN 13/2018