



Pro Form Products Ltd.
604 McGeachie Drive
Milton, Ontario, L9T 3Y5
Canada
905-878-4990

PRODUCT: PF 920 NYLON REINFORCING TAPE
SECTION 01: Chemical product and company identification

Product name..... PF 920 NYLON REINFORCING TAPE
 Manufactured for..... Pro Form Products Ltd.
 604 McGeachie Drive
 Milton, Ontario L9T3Y5
 Tel (905) 878-4990 Fax (905) 878-1189
 24 hour emergency number:..... IN CANADA CALL CANUTEC (613) 996-6666-IN THE UNITED STATES CALL
 CHEMTREC (800) 424-9300.
 Material use..... Automotive. This product should not be used for any other purpose other than the ones
 described in this section.
 Chemical family..... Article.
 Preparation date..... May 24, 2015.
 Hazard rate
 NFPA rating..... Health: 0 Fire: 0 Reactivity: 0.

SECTION 02: Hazards identification

Signal Word..... Not a classified or a controlled product.
 Hazard Classification..... Not classified.
 Hazard Description..... Not classified.
 Precautionary Statements..... No special precautions necessary.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS #	WT. %
GLASS MICROBALLOONS	65997-17-3	40-70
POLYESTER TEXTILE CONTINUOUS FILAMENT	25038-59-9	10-30
POLYMERIC COATING	PROPRIETARY	20-40
POLYMERIC ADHESIVE	PROPRIETARY	10-30

SECTION 04: First aid measures

Eye contact..... In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at
 least 15 minutes.
 Skin contact..... Wash slowly with lukewarm water.
 Inhalation..... Not applicable.
 Ingestion..... Not applicable.
 Additional information..... In the event of an incident involving this product ensure that medical authorities are
 provided a copy of this safety data sheet.

SECTION 05: Fire fighting measures

Extinguishing media..... Use extinguishing media for surrounding fire.
 Hazardous combustion products..... Oxides of carbon (CO, CO2).
 Special fire fighting procedures..... Firefighter should be equipped with self-contained breathing apparatus and full protective
 clothing to protect against potentially toxic and irritating fumes. Solvent vapours may be
 heavier than air and may build up and travel along the ground to an ignition source, which
 may result in a flash back to the source of the vapours. Cool fire-exposed containers with
 cold water spray. Heat will cause pressure buildup and may cause explosive rupture.

SECTION 06: Accidental release measures

Leak/spill..... Pick up solids and put in a dust bin.

SECTION 07: Handling and storage

Handling procedures..... Employees should wash hands and face before eating or drinking. Keep away from heat,
 sparks, and open flame.
 Storage needs..... Keep container closed when not in use. Store away from oxidizing and reducing materials.
 Store away from sunlight.

PRODUCT: PF 920 NYLON REINFORCING TAPE**SECTION 08: Exposure controls / personal protection**

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
GLASS MICROBALLOONS	5 mg/m3	Not established	Not established	Not established	5 mg/m3 total dust	
POLYESTER TEXTILE CONTINUOUS FILAMENT	Not established	Not established	Not established	Not established	Not established	Not established
POLYMERIC COATING	Not established	Not established	Not established	Not established	Not established	Not established
POLYMERIC ADHESIVE	Not established	Not established	Not established	Not established	Not established	Not established
Eye/type.....		Not applicable.				
Respiratory/type.....		Not applicable.				
Gloves/ type.....		Not applicable.				
Clothing/type.....		Not applicable.				
Footwear/type						
Other/type.....		Educate and train employees on the safe use and handling of the product.				
Ventilation requirements.....		None required under normal use.				

SECTION 09: Physical and chemical properties

Physical state.....	Solid.
Colour.....	Glass yarn scrim with coating and adhesive.
Odour.....	No odour.
Odour threshold (ppm).....	Not applicable.
Vapour pressure (mm Hg).....	Not applicable.
Vapour density (air=1).....	Not applicable.
pH.....	Not applicable.
Specific gravity.....	2.5.
Freezing point (deg C).....	Not applicable.
Solubility.....	Not applicable.
Boiling point (deg C).....	Not applicable.
Evaporation rate.....	Not applicable.
Flash point (deg C), method.....	Not applicable.
Auto ignition temperature (deg C).....	Not applicable.
Upper flammable limit (% vol).....	Not applicable.
Lower flammable limit (% vol).....	Not applicable.
Coefficient of water/oil distribution.....	Not applicable.
VOC.....	Non volatile.

SECTION 10: Stability and reactivity

Stability.....	Stable at normal temperatures and pressures.
Reactivity conditions.....	Avoid heat, sparks and flames. Explosive reactions can occur in the presence of strong oxidizing agents.
Incompatibility.....	Keep away from heat. Incompatible with strong oxidizers. Water.
Hazardous products of decomposition.....	Oxides of carbon (CO,CO2). Oxides of nitrogen. Hydrocarbons.
Hazardous polymerization.....	Will not occur under normal temperature and pressure.

SECTION 11: Toxicological information

INGREDIENTS	LC50	LD50
GLASS MICROBALLOONS	No data	No data
POLYESTER TEXTILE CONTINUOUS FILAMENT	Not available	Not available
POLYMERIC COATING	Not available	Not available
POLYMERIC ADHESIVE	Not available	Not available
Route of entry	Not expected to pose any hazards.	
Effects of acute exposure.....	Dust may irritate the eyes.	
Effects of chronic exposure.....	Prolonged contact may cause mild irritation and itching.	
Carcinogenicity of material.....	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.	
Reproductive effects.....	None.	

PRODUCT: PF 920 NYLON REINFORCING TAPE**SECTION 12: Ecological information**

Biodegradability..... No data.

SECTION 13: Disposal considerations

Waste disposal..... Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

SECTION 14: Transport information

TDG Classification..... Not regulated.
 DOT Classification (Road)..... Not regulated.
 IATA Classification (Air)..... Not regulated.
 IMDG Classification (Marine)..... Not regulated.
 Marine Pollutant..... No.
 Proof of Classification..... In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct. .

SECTION 15: Regulatory information

WHMIS classification..... This product is not regulated under WHMIS.
 CEPA status
 OSHA..... This product is not hazardous.
 SARA Title III
 Section 302 - extremely hazardous None.
 substances
 Section 311/312 - hazard categories..... This product is not hazardous.
 Section 313..... None.
 California Proposition 65..... This product does not contain any chemical(s) known to the State of California to cause cancer or reproductive toxicity.

SECTION 16: Other information

Prepared by: REGULATORY AFFAIRS.
 Telephone number:..... (800) 387-7981.
 Disclaimer:..... **DISCLAIMER:** All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

Preparation date: MAY24/15